




## Bench Mounted Sealers



For foods, retail products and industrial supplies. A model for every bag size up to 36"; a jaw for every bag material and a seal as strong as the bag itself. Greater durability and operation equal to more expensive methods of sealing.

### Features:

- Heat indicator assists in proper temperature selection.
- For minimum wear and maximum service, there's only one moving part.
- Accurate thermostat controls sealing temperature of upper and lower jaws for strong, attractive, watertight seal.
- Strong 1/4" seal matches bag strength; wide seal available.
- Red safety pilot warns operator that jaws are hot; reminds operator to turn off machine at end of day.
- Choice of jaws: Teflon®, plain metal, and serrated metal.
- Simple to maintain in the field. All electrical components easily replaced in minutes without special tools.
- All sealing jaw surfaces are heated evenly by durable heating cartridge. No hot or cold spots.

Your single source for heat sealing and shrink wrap packaging materials & equipment

## HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304

Tel: (818) 712-0100; **Toll Free: (800) 326 5937**; Fax: (818) 712-0470

Email: [sales@hsapackaging.com](mailto:sales@hsapackaging.com); Web: [www.hsapackaging.com](http://www.hsapackaging.com)



# Bench Mounted Sealers

## Specifications:

For Laminated Bags With Poly Liner (Plain Jaws)			
Model	Seal Width	Seal Length To	Power
230	7/8"	8 1/4"	110V, 400W
231	7/8"	10"	110V, 500W
232	7/8"	12"	110V, 500W
233	1"	16"	110V, 600W
234	1"	24"	110V, 800W
235	1"	36"	110V, 1300W

For Cellophane And Polycel Bags (Serrated Jaws)			
Model	Seal Width	Seal Length To	Power
240	1"	8 1/4"	110V, 400W
241	1"	10"	110V, 500W
242	1"	12"	110V, 500W
243	1"	16"	110V, 600W
244	1"	24"	110V, 800W

## Specifications Cont..

For All Polyethylene Bags- Universal Sealer (Teflon Jaws)			
Model	Seal Width	Seal Length To	Power
250	1/4"	8 1/4"	110V, 400W
251	1/4"	10"	110V, 500W
252	1/4"	12"	110V, 500W
253	1/4"	16"	110V, 600W
254	1/4"	24"	110V, 800W
255	1/4"	36"	110V, 1300W

Your single source for heat sealing and shrink wrap packaging materials & equipment

## HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304

Tel: (818) 712-0100; Toll Free: (800) 326 5937; Fax: (818) 712-0470

Email: [sales@hsapackaging.com](mailto:sales@hsapackaging.com); Web: [www.hsapackaging.com](http://www.hsapackaging.com)



## Bench Mounted Sealers

---

All models are supplied with pedal kit for foot pedal operation of bench mounted sealers.

Teflon is a registered trademark of DuPont. Specifications and design features subject to change without notice. Some photos may show accessories not part of basic machine.

---

Your **single** source for heat sealing and shrink wrap packaging materials & equipment

### HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304

Tel: (818) 712-0100; **Toll Free: (800) 326 5937**; Fax: (818) 712-0470

Email: [sales@hsapackaging.com](mailto:sales@hsapackaging.com); Web: [www.hsapackaging.com](http://www.hsapackaging.com)

Copyright © 2003-2007 Manakz Corporation. All rights reserved. Reproduction without prior written permission prohibited

---

Your **single** source for heat sealing and shrink wrap packaging materials & equipment

### HSA PACKAGING SYSTEMS

21500 Blythe Street, Canoga Park, CA 91304

Tel: (818) 712-0100; **Toll Free: (800) 326 5937**; Fax: (818) 712-0470

Email: [sales@hsapackaging.com](mailto:sales@hsapackaging.com); Web: [www.hsapackaging.com](http://www.hsapackaging.com)

Copyright © 2003-2007 Manakz Corporation. All rights reserved. Reproduction without prior written permission prohibited